AUTHOR INDEX, VOLUME 13

Acierno, D., Nicolais, L., Vojta, V., and Janáček, J.: Viscoelastic Behavior of Glass-Bead Filled Crosslinked Polymers in the Dry and Swollen States, 703

Adachi, K., Fujihara, I. and Ishida, Y.: Diluent Effects on Molecular Motions and Glass Transition in Polymers. I. Polystyrene-Toluene, 2155

——, Hirose, Y., and Ishida, Y.: Dielectric Relaxation in Concentrated Solutions of Poly(γ-benzyl-L-glutamate), 737

——, ——, and ——: Phase Transition in Dilute Solution of Poly(γ-benzyl-L-glutamate) in Dichloromethane at a Low Temperature, 1491

Ahagon, A. and Gent, A. N.: Effect of Interfacial Bonding on the Strength of Adhesion, 1285

—— and ——: Threshold Fracture Energies for Elastomers, 1903

Akana, Y. and Stein, R. S.: Optical Studies of the Crystallization of *Trans* 1,4-Polybutadiene in Stretched Networks, 2195

Aldridge, M. H.: See Roestamsjah.

Andersson, P. and Sundqvist, B.: Pressure Dependence of the Thermal Conductivity, Thermal Diffusivity, and Specific Heat of Some Polymers, 243

Andrianova, G. P.: Rheological Effects of Structure Formation in Polymer Melts, 95

Arai, H., Wada, T., and Kuriyama, I.: Morphology of As-Polymerized Polyacrylonitrile Prepared by Radiation-Induced Heterogeneous Polymerization in Bulk, 2241

Aronowitz, S. and Eichinger, B. E.: The Gaussian Chain with Excluded Volume, 1655

Assink, R. A.: Investigation of the Dual Mode Sorption of Ammonia in Polystyrene by NMR, 1665

Bagley, E. B.: See Taylor, N. W.

Ballman, R. L.: See Southern, J. H.

Barrie, J. A., Michaels, A. S., and Vieth, W. R.: Gas Diffusion in Glassy Polymers, 859

Bassett, D. C.: See Morris, R. B.

Batra, S. K. and Syed, N.: Elastic-Inelastic Behavior of PET and Nylon 66 Monofilaments Under Lateral Compression, 369

Baughman, R. H., Gleiter, H., and Sendfield, N.: Deformation and Microstructure of Extended-Chain Polydiacetylene Crystals, 1871

Beatty, C. L. and Karasz, F. E.: Transitions in Poly(diethyl Siloxane), 971

——: See Brody, E. M.

——: See Froix, M. F.

——: See Pochan, J. M.

Bell, J. P.: See Duong, D. T.

Berghmans, H., Groeninckx, G., and Hautecler, S.: Study of the Low-Frequency Motions in Poly(ethylene terephthalate) (PET) by Neutron Inelastic Scattering, 151

Berry, G. C. and Wong, C.-P.: A Rotational Rheometer with Drag-Cup Torque Transducer, 1761

Besmann, T. and Greer, R.: Morphology of Gamma-Irradiated, Low-Density, Bulk Polyethylene, 527

Biroš, J.: See Pouchlý, J.

Blaum, G.: See Wolf, B. A.

Bloor, D.: See Stevens, G. C.

Boček, B.: See Janáček, J.

Bopp, R.: See Iwamoto, R.

Bos, B. C.: See Hammers, W. E.

Bourret, A.: See Pineri, M.

Boyd, R. H.: The Energies of Kinks in Polyethylene, 2337

Braks, J. G. and Huang, R. Y. M.: Polymerization Mechanisms and Molecular Weight Distribution. I. Mathematical Treatment, 1063

Brandt, H.: See Hubbell, W. H., Jr.

Brescia, G.: See Gaeta, F. S.

Brody, E. M., Lubell, C. J., and Beatty, C. L.: Measurement of the Grüneisen Number in Polystyrene by Brillouin Light Scattering, 295

Brown, B. L. and Jones, G. P.: The Dielectric Permittivity Response of Rodlike Polymer Solutions to High Electric Field Pulses, 599

Brown, N. and Fischer, S.: Nucleation and Growth of Crazes in Amorphous Polychlorotrifluoroethylene in Liquid Nitrogen, 1315

Capaccio, G.: See Smith, J.

Capiati, N. J. and Porter, R. S.: Tensile Properties in Ultradrawn Polyethylene, 1177

Challa, G.: See Lemstra, P. J.

Chan, G. Y. C. and Wintle, H. J.: Photoconduction in Polyolefins and in Poly(ethylene-Carbon Monoxide), 1187

Chang, C.: See Hong, S.-D.

Chang, Y-J. P. and Wilkes, G. L.: Superstructure in Segmented Polyether-Urethanes, 455
Chanzy, H. D. and Roche, E. J.: Fibrous Mercerization of *Valonia* Cellulose, 1859
Chatain, D.: See Lacabanne, C.
Chatterjee, A. M., Price, F. P., and Newman, S.: Heterogeneous Crystallization of Nucleation of High Polymers from the Melt. I. Substrate-Induced Morphologies, 2369
——, ——, and ——: Heterogeneous Crystallization of Nucleation of High Polymers from the Melt. II. Aspects of Transcrystallinity and Nucleation Density, 2385
——, ——, and ——: Heterogeneous Crystallization of Nucleation of High Polymers from the Melt. III. Nucleation Kinetics and Interfacial Energies, 2391
Chou, H. J.: See Kaye, H.
Chou, Y. T.: See Lin, L. S.
Choy, C. L.: The Heat Capacity Difference C_p-C_v for Polymers, 1263
——: See Lee, W. K.
Coleman, M. M.: See Tabb, D. L.
Cook, W. D. and Delatycki, O.: Low-Temperature Relaxations in Styrene-Crosslinked Polyester Networks, 1049
Cournoyer, R. F., Rhodes, M. B., and Siggia, S.: Application of Holographic Interferometric Microscopy to the Study of Diffusion in the Polyvinylpyrrolidine-Iodine System, 1023
Crissman, J. M.: On the Transition from Paraffinic to Polymeric Behavior: Mechanical Properties, 1407
Davies, G.: See Smith, J.
Delatycki, O.: See Cook, W. D.
de Ligny, C. L.: See Hammers, W. E.
Derham, C. J.: Creep of Dicumyl Peroxide Crosslinked Natural Rubber, 1855
Desborough, I. J.: See Jakeways, R.
de Vries, H.: See Gaur, H. A.
Di Chiara, A.: See Gaeta, F. S.
Doi, M.: See Fujimori, S.
Dole, M.: See Teer, D.
Doyle, M. J.: Mechanisms of Fracture in an Oriented Polystyrene, 127
——: The Optical Interference Pattern in a Polystyrene Craze Layer, 2429
Duong, D. T. and Bell, J. P.: Characterization of Selectively Degraded Poly(ethylene Terephthalate), 765
Dušek, K.: See Hasa, J.
Edwards, B. C.: The Nature of Multiple Melting Transitions in *cis*-Polyisoprene, 1387
—— and Phillips, P. J.: High-Pressure Phases in Polymers. II. Spherulitic Growth Morphology in *cis*-Polyisoprene, 2117
Eichinger, B. E.: Elasticity Theory. IV. The Stress-Strain Relation, 59
——: See Aronowitz, S.
Fatou, J. G., Riande, E., and Valdecasas, R. G.: The Crystallization of Polymer-Diluent Mixtures, 2103
Fedors, R. F. and Landel, R. F.: A Relationship Between Network Chain Concentration and Time Dependence of Rupture for SBR Vulcanizates, 419
—— and ——: Mechanical Behavior of SBR-Glass Bead Composites, 579
Ferry, J. D.: See Greco, R.
——: See Kramer, O.
Fetters, L. J.: See Roestamsjah.
Fischer, S.: See Brown, N.
Florin, R. E.: See Roestamsjah.
Flory, P. J. and Tatara, Y.-I.: The Elastic Free Energy and the Elastic Equation of State: Elongation and Swelling of Polydimethylsiloxane Networks, 683
Forrest, E. H.: See McHugh, A. J.
Fortelný, I.: A Theoretical Analysis of the Effect of Solvent on the Kerr Constant of Dilute Polymer Solutions, 1011
Froix, M. F., Beatty, C. L., Pochan, J. M., and Hinman, D. D.: Nuclear Spin Relaxation in Poly(diethylsiloxane), 1269
Frosini, V.: See Newman, B. A.
Fujihara, I.: See Adachi, K.
Fujimori, S., Nakajima, H., Wada, Y. and Doi, M.: Computer Simulation of Brownian Motion of a Polyelectrolyte Molecule (Charged Bead-Spring Model), 2135
Fujimoto, T.: See Kato, T.
Fujiwara, H., Okazaki, K., and Goto, K.: Mechanochemical Reaction of Polymers by Ultrasonic Irradiation. I. Mechanochemical Reaction in Mixtures of Polystyrene, Styrene, and Cyclohexane, 953
Fukitani, K.: See Nagamura, T.
Fukuda, E. and Sasaki, S.: Piezoelectricity of α-Chitin, 1845
Fukuda, M., Osaki, K., and Kurata, M.: Nonlinear Viscoelasticity of Polystyrene Solutions. I. Strain-Dependent Relaxation Modulus, 1563
——: See Osaki, K.
Furukawa, K.: See Kato, Y.
Gaeta, F. S. and Di Chiara, A.: Dependence of Thermal Diffusion Effects in Liquids on the Physical Properties of the Dispersing Phase, 163
——, Perna, G., and Scala, G.: Characterization of Macromolecules in Liquid Solutions by Thermal Diffusion. II. Dependence of the Soret Coefficient on the Mo-

lecular Mass of the Solute, 203
——, Scala, G., Brescia, G., and Di Chiara, A.: Characterization of Macromolecules in Liquid Solutions by Thermal Diffusion. I. Dependence of the Soret Coefficient on the Nature of the Dispersing Medium, 177
Gasper, P.: See Tan, J. S.
Gaur, H. A. and de Vries, H.: On the Refractive Indexes and Birefringence of Nylon 6 Yarns as a Function of Draw Ratio and Strain, 835
Gaylord, R. J.: See Smith, K. J., Jr.
Gehatia, M.: See Wiff, D. R.
Geissler, E.: NMR Measurements on *cis*-1,4-Polybutadiene as a Function of Pressure, 1301
Gent, A. N.: See Ahagon, A.
Geny, F.: See Valeur, B.
Ghosh, S. K.: See Reucroft, P. J.
Gleiter, H.: See Baughman, R. H.
——: See Petermann, J.
Goto, K.: See Fujiwara, H.
Gouinlock, E. V.: Degrees of Order from X-Ray Diffraction in Highly Crystalline Poly(vinyl Chloride), 961
——: The Fusion of Highly Crystalline Poly(vinyl Chloride), 1533
Greco, R., Taylor, C. R., Kramer, O., and Ferry, J. D.: Rubber Networks Containing Unattached Macromolecules. III. Nonlinear Stress Relaxation in the System Ethylene-Propylene Terpolymer with Ethylene-Propylene Copolymer and Behavior of Extracted Networks, 1687
——: See Kramer, O.
Greer, R.: See Besmann, T.
Griffiths, C. H.: Folded Chain Crystallization of Poly(*N*-vinylcarbazole), 1167
Groeninckx, G.: See Berghmans, H.
Guillet, D.: See Lacabanne, C.
Hall, I. H.: See Jakeways, R.
Hammers, W. E., Bos, B. C., Vaas, L. H., Loomans, Y. J. W. A., and de Ligny, C. L.: Partial Molar Excess Free Enthalpies of *n*-Alkenes in Apiezon M and Alkanes in Squalane and Polydimethylsiloxane and the Solution Theories of Prigogine and Flory: An Investigation by Gas Chromatography, 401
Hannon, M. J. and Wissbrun, K. F.: Interaction of Inorganic Salts with Polar Polymers. I. Physical Properties of Phenoxy-Calcium Thiocynate Mixtures, 113
——: See Wissbrun, K. F.
Hasa, J. and Ilavský, M.: Deformational, Swelling, and Potentiometric Behavior of Ionized Poly(methacrylic Acid) Gels. II. Experimental Results, 263
——, ——, and Dušek, K.: Deformational, Swelling, and Potentiometric Behavior of Ionized Poly(methacrylic Acid) Gels. I. Theory, 253
Hashimoto, T., Murakami, Y., and Kawai, H.: Light Scattering from Polymer Films Having Optical Anisotropic Rodlike Texture. A Quantitative Test of Theories, 1613
——, Shiraki, M., and Sakai, T.: The Current Reversal in Thermally Stimulated Current Spectra of Polyethylene, 2401
——: See Kato, T.
——: See Kato, Y.
Hata, T.: See Naoki, M.
Hatakeyama, T.: See Ito, E.
——: See Shimura, Y.
Hattori, K. and Wada, Y.: Molecular Orbital Calculations of the Electronic Structure of Poly(*N*-vinylcarbazole), 1863
Hautecler, S.: See Berghmans, H.
Helbert, J. N., Wagner, B. E., Poindexter, E. H., and Kevan, L.: Matrix ENDOR of Polyenyl Radicals in Polymers, 825
Hinman, D. D.: See Froix, M. F.
——: See Pochan, J. M.
Hirano, T.: See Takahashi, Y.
Hirose, Y.: See Adachi, K.
Ho, J. H.: See Mark, J. E.
Holt, C. and Sellen, D. B.: The Statistics of Chain Sectioning Experiments on Cellulose Fibres, 1
Hong, S. D., Chang, C. and Stein, R. S.: Effect of Internal Field on the Birefringence of Polyethylene Crystals and on the Anisotropy of Polymer Chains. I. Birefringence Effects, 1447
——: See Peiffer, D.
Hopfinger, A. J.: See Mauritz, K. A.
Hrouz, J. and Janáček, J.: Low-Frequency Dynamic Mechanical Behavior of Lightly Crosslinked 1,5-*trans*-Polypentanamer in the Rubberlike Region, 2289
Hsu, B.-S., Kwan, S.-H., and Wong, L.-W.: Dipole Moments in Oriented Poly(ethylene Terephthalate), 2079
Hu, H.: See Lin, L. S.
Huang, R. Y. M.: See Braks, J. G.
Hubbell, W. H., Jr., Brandt, H., and Munir, Z. A.: Transient and Steady-State Water Vapor Permeation Through Polymer Films, 493
Hyon, S.-H.: See Kitamaru, R.
Igarashi, T.: Mechanics of Peeling of Rubbery Materials. I. Peel Strength and Energy Dissipation, 2129
Iguchi, M. and Murase, I.: "Shish Kebab" Structures Formed on Needle-Like Polyoxymethylene Crystals, 1461

Ikeda, S. and Matsuda, K.: A Method for Calculating the Activation Energy spectra of Polymers, 1913
Ilavský, M.: See Hasa, J.
Imada, K.: See Shigematsu, K.
Ishida, I.: See Tanaka, A.
Ishida, Y.: See Adachi, K.
——: See Osaki, S.
——: See Sawada, K.
Ito, E. and Hatakeyama, T.: Studies of the Amorphous Region of Polymers. II. Relationship Between Changes of Structure and Glass Transition Temperature in Polycarbonate, 2313
Ito, Y. and Shishido, S.: Non-Newtonian Behavior in Steady Flow Over the Range from the Lower to the Upper Newtonian Region for Polystyrene Solution, 35
Iwamoto, R., Bopp, R., and Wunderlich, B.: Crystallization During Polymerization of Poly-*p*-xylene. III. Crystal Structure and Molecular Orientation as a Function of Temperature, 1925
Jain, A. K.: See Srivastava, R. C.
Jakeways, R., Ward, I. M., Wilding, M. A., Hall, I. H., Desborough, I. J., and Pass, M. G.: Crystal Deformation in Aromatic Polyesters, 799
Janáček, J., Raab, M., and Boček, B.: Mechanical Properties of Composite Heterogeneous Gels, 1591
——: See Acierno, D.
——: See Hrouz, J.
Jarry, J.-P.: See Valeur, B.
Jones, G. P.: See Brown, B. L.
Kametani, T.: See Kato, Y.
Kanetsuna, H.: See Maeda, Y.
Karasz, F. E.: See Beatty, C. L.
——: See Pochan, J. M.
Kato, T., Hashimoto, T., Fujimoto, T., and Nagasawa, M.: Gel Permeation Chromatography of Star Branched Polymers, 1849
Kato, Y., Kametani, T., Furukawa, K., and Hashimoto, T.: High-Resolution Preparative-Scale Gel-Permeation Chromatography, 1695
Katto, T.: See Murayama, N.:
Kawai, H.: See Hashimoto, T.
Kaye, H. and Chou, H. J.: Unperturbed Dimensions of Poly(9-vinyl-adenine), 477
Keller, A.: See Patel, G. N.
——: See Pope, D. P.
Kevan, L.: See Helbert, J. N.
Kim, B. S.: See Osaki, K.
Kitamaru, R. and Hyon, S.-H.: Orientation of Crystallites in Lightly Crosslinked Isotactic Polypropylene Crystallized from the Melt Under Uniaxial Compression, 1085
Koenig, J. L.: See Tabb, D. L.
Koleske, J. V.: See Seefried, C. G., Jr.
Kovacs, A. J.: See Lotz, B.
Kramer, E. J.: The Growth of Shear Bands in Polystyrene, 509
Kramer, O., Greco, R., Ferry, J. D., and McDonel, E. T.: Rubber Networks Containing Unattached Macromolecules. II. Viscoelastic Properties in Small Strains of the System Ethylene Propylene Terpolymer with Ethylene-Propylene Copolymer and Behavior of Extracted Networks, 1675
——: See Greco, R.
Kratochvíl, P., Vorlíček, J., Straková, D., and Tuzar, Z.: Light Scattering Investigation of Interaction Between Polymers in Dilute Solution, 2319
——: See Stejskal, J.
Krause, S. and Reismiller, P. A.: Micelle Formation in Butanone Solutions of Styrene-Butadiene-Styrene Triblock Copolymer, 663
Kuo, C. and McIntyre, D.: Morphology and Physical Properties of Triblock Copolymers with Crystalline End Blocks, 1543
Kurata, M.: See Fukunda, M.
——: See Osaki K.
Kuriyama, I.: See Arai, H.
Kwan, S.-H.: See Hsu, B.-S.
Lacabanne, C., Chatain, D, Guillet, J, Seytre, G., and May, J. F.: Dielectric and Depolarization Study of the γ Relaxation in Polyethylene Isophthalamide, 445
Landel, R. F.: See Fedors, R. F.
Laven, J., van den Esker, M. W. J., and Vrij, A.: Calculation of the Dispersion of Specific Refractive Index Increments, 443
Lee, C. J. and Wunderlich, B.: Crystallization During Polymerization of Diazomethane. II. Studies of Model Compounds and Chain Extension of Etched Polyethylene Single Crystals by Chemical Reaction, 607
Lee, W. I. and Schurr, J. M.: Laser Light Scattering Studies of Poly(L-lysine HBr) in Aqueous Solution, 873
Lee, W. K. and Choy, C. L.: Heat Capacity of Fluoropolymers, 619
Lemstra, P. J. and Challa, G.: Crystallization of Isotactic Polystyrene from Dilute Solutions, 1809
Lin, L. S., Chou, Y. T., and Hu, H.: Orientation Effects in Rolled and Annealed Polyethylene Plates, 1659
Loomans, Y. J. W. A.: See Hammers, W. E.
Lotz, B., Kovacs, A. J., and Wittmann, J. C.: Basic Modes of Three-Dimensional Polymer Crystal Associations: Interlocked Single Crystals and Crystal Halves, 909
Lubell, C. J.: See Brody, E. M.

Machi, S.: See Suwa, T.
Maeda, Y. and Kanetsuna, H.: Crystallization and Melting of Polyethylene Under High Pressure. II. Effect of Pressure on Melting Behavior of Various Types of Crystals, 637
Magoshi, J. and Magoshi, Y.: Physical Properties and Structure of Silk. II. Dynamic Mechanical and Dielectric Properties of Silk Fibroin, 1347
Magoshi, Y.: see Magoshi, J.
Maitrot, M.: See Michel, R.
Malkin, A. Ya.: See Vinogradov, G. V.
Mark, J. E. and Ho, J. H.: Random-Coil Dimensions of Poly(methylphenylsiloxane) and Their Dependence on Stereochemical Structure, 2221
Markovitz, H.: See Riande, E.
Martuscelli, E.: See Patel, G. N.
Másá, Z.: See Pouchlý, J.
Matsuda, K.: See Ikeda, S.
Mauritz, K. A. and Hopfinger, A. J.: Theory of the Epitaxial Crystallization of Polymers on Alkali Halide Substrates. II. Polyoxymethylene and Polythiomethylene, 787
May, J. F.: See Lacabanne, C.
McDonel, E. T.: See Kramer, O.
McHugh, A. J. and Forrest, E. H.: A Comparison of Two Techniques for Inducing Fibrous Crystallization from Solution, 1643
McIntyre, D.: See Kuo, C.
Mencik, Z.: The Crystal Structure of Poly (tetramethylene Terephthalate), 2173
Meyer, C. T. and Pineri, M.: Crosslinking of Elastomers by Coordination Bonding. Study of Clustering of the Coordination Complexes by Mössbauer Spectroscopy, 1057
——: See Pineri, M.
Michaeli, I.: See Reich, S.
Michaels, A. S.: See Barrie, J. A.
Michel, R., Seytre, G., and Maitrot, M.: Electricl Properties of Dry and Wet Polyglycine, 1333
Miller, G. W.: Thermal Analyses of Polymers. XII. Crystalline Character of the 70°C Transition of Poly(ethylene Terephthalate), 1831
Monnerie, L.: See Valeur, B.
Mori, S.: See Weeks, N. E.
Mori, T., Tanaka, R., and Tanaka, T.: Viscoelastic Properties of Heterogeneous Network Polymers from Poly(D-glutamic Acid) and Poly(oxyethylene Glycol), 1633
Morris, R. B. and Bassett, D. C.: Pressure Quenching and Chain-Extended Crystallization in Polyethylene, 1501
Motomura, M.: See Naoki, M.
Munir, Z. A.: See Hubbell, W. H., Jr.
Murakami, Y.: See Hashimoto, T.
Murase, I.: See Iguchi, M.
Murayama, N.: Persistent Polarization in Poly(vinylidene Fluoride). I. Surface Charges and Piezoelectricity of Poly(vinyledene Fluoride) Thermoelectrets, 929
——, Oikawa, T., Katto, T., and Nakamura, K.: Persistent Polarization in Poly(vinylidene Fluoride). II. Piezoelectricity of Poly(vinylidene Flouride) Thermoelectrets, 1033
Nagasawa, M.: See Kato, T.
Nagasawa, T.: See Nakamura, K.
Nakajima, H.: See Fujimori, S.
Nakamura, K.: Dynamic Mechanical Properties of Plasticized Poly(vinyl Chloride), 137
—— and Nagasawa, T.: Dynamic Mechanical Properties of Poly(2-hydroxyethyl Methacrylate) Hydrogels, 2297
——: See Murayama, N.
Nagamura, T., Fukitani, K., and Takayanagi, M.: Radical Formation During Tensile Deformation of Highly Drawn Crystalline Poly[*p*-(2-hydroxyethoxy)benzoid Acid] Fibers, 1515
—— and Takayanagi, M.: ESR Study of Primary Radical Formation During Mechanical Degradation of Poly(2,6-dimethyl-*p*-phenylene oxide) Solid, 567
Naoki, M., Motomura, M., Nose, T., and Hata, T.: Pressure Dependence of Dielectric Properties of Chlorinated Polyethylene Vulcanizate. I. α Relaxation and Shift Factors, 1737
—— and Nose, T.: Pressure Dependence of Dielectric Properties of Chlorinated Polyethylene Vulcanizate. II. Free Volume and Configurational Entropy Theories, 1747
—— and ——: Pressure Dependence of Dielectric Properties of Polyethylene Vulcanizate. III. β Relaxation, 1893
Newman, B. A. and Frosini, V.: An X-Ray Study of Atactic Poly(*p*-biphenyl Acrylate), 87
Newman, S.: See Chatterjee, A. M.
Nicolais, L.: See Acierno, D.
Nose, T.: See Naoki, M.
Ohta, S.-I.: See Osaki, K.
Oikawa, T.: See Murayama, N.
Okazaki, K.: See Fujiwara, H.
O'Malley, J. J.: Crystalline Isomeric Polyester Block Copolymers. Scanning Calorimetry and Density Measurements, 1353
Osaki, K., Fukuda, M., and Kurata, M.: Relaxation Spectra of Concentrated Polystyrene Solutions, 775

——, ——, Ohta, S.-I., Kim, B. S., and Kurata, M.: Nonlinear Viscoelasticity of Polystyrene Solutions. II. Non-Newtonian Viscosity, 1577
——: See Fukuda, M.
Osaki, S. and Ishida, Y.: Effects of Annealing and Isothermal Crystallization upon Crystalline Forms of Poly(vinylidene Fluoride), 1071
Paciotti, J. D.: See Paul, D. R.
Pasika, W. M. and West, A. C.: Transcrystalline Region of Polycaprolactam Filament, 2237
Pass, M. G.: See Jakeways, R.
Patel, G. N.: Crystallinity and the Effect of Ionizing Radiation in Polyethylene. IV. Effect of Segregation of Low Molecular Weight Chains on Determination of Main-Chain Scission in Linear Polyethylene, 339
——: Crystallinity and the Effect of Ionizing Radiation in Polyethylene. V. Distribution of *trans*-Vinylene and *trans,trans* Conjugated Double Bonds in Linear Polyethylene, 351
——: Crystallinity and the Effect of Ionizing Radiation in Polyethylene. VI. Decay of Vinyl Groups, 361
—— and Keller, A.: Crystallinity and The Effect of Ionizing Radiation in Polyethylene. I. Crosslinking and the Crystal Core, 303
—— and ——: Crystallinity and the Effect of Ionizing Radiation in Polyethylene. II. Crosslinking in Chain-Folded Single Crystals, 323
——, and ——: Crystallinity and the Effect of Ionizing Radiation in Polyethylene. III. An Experiment on the Irradiation-Induced Crosslinking in *n*-Hexatriacontane, 333
—— and ——: A Study of the Fold Surface Structure of Polyethylene Single Crystals by Means of Selective Degradation with Ozone, 2259
—— and ——: Association of the Reaction Products in the Ozone Degradation of Polyethylene and its Relevance to the Study of the Fold Surface Structure, 2275
——, ——, and Martuscelli, E.: An Investigation on the Chain-Folding Structure of an Ethylene–Propyler e Copolymer by Selective Degradation, 2281
Paul, D. R. and Paciotti, J. D.: Driving Force for Hydraulic and Pervaporative Transport in Homogeneous Membranes, 1201
Peiffer, D., Hong, S. D., and Stein, R. S.: The Elongation and Time-Dependence of the Crystallinity of Low-Density Polyethylene, 1945
Perna, G.: See Gaeta, F. S.
Petermann, J. and Gleiter, H.: Nucleation and Growth of New Crystals Within Polyethylene Films During Surface-Controlled Recrystallization, 1939
Petraccone, V., Sanchez, I. C., and Stein, R. S.: The Orientation of Amorphous Chains in Spherulites, 1991
Phillips, P. J. and Edwards, B. C.: High-Pressure Phases in Polymers. I. Spherulitic Growth Kinetics in *cis*-Polyisoprene, 1819
—— and Singh, G.: Dielectric Relaxation in Concentrated Solutions of Poly(methyl Methacrylate), 1377
——: See Edwards, B. C.
Pineri, M., Meyer, C., and Bourret, A.: Ion Clustering Studies in Poly(butadiene-styrene-4-vinylpyridine) Crosslinked by Iron (III) Chloride. Differential Enthalpic Analysis and Electron Microscopy, 1881
Pineri, M.: See Meyer, C. T.
Plaček, J.: See Szöcs, F.
—— and Hinman, D. F.: Dielectric Relaxation Studies in Poly(hexamethylenesebacate) (HMS), Poly(2-methyl-2-ethyl Propylene-sebacate) (MEPS), Poly(2,5-dimethylbutylene Sebacate) (DBS), and Block Copolymers of HMS and MEPS, 1365
——, Beatty, C. L., Hinman, D. D., and Karasz, F. E.: Dielectric Study of Relaxation and Polymorphism in Poly(diethyl Siloxane), 977
——: See Froix, M. F.
Poindexter, E. H.: See Helbert, J. N.
Ponevski, Ch. and Solunov, Ch.: A Method for Experimental Determination of the Temperature Dependence of Relaxation Times in Dielectrics, 1467
Pope, D. P. and Keller, A.: Deformation of Oriented Polyethylene, 533
Porter, R. S.: See Capiati, N. J.
——: See Weeks, N. E.
Pouchlý, J., Máša, Z., Biroš, J., Živný, A., and Trekoval, J.: Calorimetric Study of Mixtures of Butyl Methacrylate Oligomers with Methanol, 1511
Price, F. P.: See Chatterjee, A. M.
Raab, M.: See Janáček, J.
Randall, J. C.: The Distribution of Stereochemical Configurations in Polystyrene as Observed with ^{13}C NMR, 889
——: Temperature Dependence Among the Grant and Paul Parameters as Derived from ^{13}C NMR Polymer Spectra, 901
——: Carbon-13 Nuclear Magnetic Resonance Quantitative Measurements of Mo-

nomer Sequence Distributions in Hydrogenated Polybutadienes, 1975
Reich, S. and Michaeli, I.: Electrical Conductivity of Small Ions in Polyacrylonitrile in the Glass-Transition Region, 9
Reismiller, P. A.: See Krause, S.
Renninger, A. L. and Uhlmann, D. R.: On the Structure of Glassy Polymers. II. Small-Angle X-Ray Scattering from Poly(methyl Methacrylate), 1481
——, Wicks, G. G., and Uhlmann, D. R.: On the Structure of Glassy Polymers. I. Small-Angle X-Ray Scattering from Polycarbonate, 1247
Reucroft, P. J., Ghosh, S. K., and Takahashi, K.: Photoinduced Charge Transfer at the Poly(*N*-vinylcarbazole)-Tin Oxide Interface, 1275
Rhodes, M. B.: See Cournoyer, R. F.
Riande, E. and Markovitz, H.: Approximate Relations Among Compliance Functions of Linear Viscoelasticity for Amorphous Polymers, 947
——: See Fatou, J. G.
Roche, E. J.: See Chanzy, H. D.
Roestamsjah, Wall, L. A., Florin, R. E., Aldridge, E. M. H., and Fetters, L. J.: Degrading Mixtures of Monodisperse Poly-α-Methylstyrenes: Rates and Anomolous Molecular Weight Distributions, 1783
Sakaguchi, M. and Sohma, J.: ESR Evidence for Main-Chain Scission Produced by Mechanical Fracture of Polymers at Low Temperature, 1233
Sakai, T.: See Hashimoto, T.
Samuels, R. J.: Quantitative Structural Characterization of the Melting Behavior of Isotactic Polypropylene, 1417
Sanchez, I. C.: See Petraccone, V.
Sasaki, S.: See Fukuda, E.
Sato, A.: See Takahashi, Y.
Sawada, K. and Ishida, Y.: Dielectric Study of Crystallization in Poly(ethylene Terephthalate), 2247
Scala, G.: See Gaeta, F. S.
Schermann, W., Wegner, G., Williams, J. O., and Thomas, J. M.: The Role of Dislocations in the Solid-State Polymerization of Monomers Having Conjugated Triple Bonds: A Study of 2,4-Hexadiyne-1,6-diol *Bis*(*p*-toluene sulfonate), 753
Schurr, J. M.: See Lee, W. I.
Seefried, C. G., Jr. and Koleske, J. V.: Lactone Polymers. VI. Glass-Transitions Temperatures on Methyl-Substituted ϵ-Caprolactones and Polymer Blends, 851
Seguchi, T.: See Suwa, T.
Sellen, D. B.: See Holt, C.
Sendfield, N.: See Baughman, R. H.
Sevcik, J. J.: See Tabb, D. L.
Seytre, G.: See Lacabanne, C.
——: See Michel, R.
Shatalov, V. P.: See Vinogradov, G. V.
Shepherd, I. W.: See Speak, R.
Shigematsu, K., Imada, K., and Takayanagi, M.: Formation of Kink Bands by Compression of the Extrudate of Solid Linear Polyethylene, 73
Shimizu, K., Yano, O., and Wada, Y.: Dielectric Studies of Low-Temperature Relaxation in Poly(isobutyl Methacrylate), Poly(*n*-butyl Methacrylate), Poly(isopropyl Methacrylate), and Poly(4-methylpentene-1), 1959
——, ——, and ——: Dielectric Relaxation in Polymers with Pendant Phenyl or Pyridine Groups at Temperatures from 4°K to 80°K, 2349
Shimura, Y. and Hatakeyama, T.: Crystallization of Polystyrene-Poly(ethylene Oxide) Multiblock Copolymers, 653
Shiraki, M.: See Hashimoto, T.
Shishido, S.: See Ito, Y.
Siggia, S.: See Cournoyer, R. F.
Singh, G.: See Phillips, P. J.
Smith, J., Davies, G., Capaccio, G., and Ward, I.: The Dynamic Mechanical Behaviors of Ultra-High Modulus Linear Polymers, 2327
Smith, K. J., Jr. and Gaylord, R. J.: Elastic Behavior of Simple Model Networks, 2069
——: See Sullivan, J. L.
Sohma, J.: See Sakaguchi, M.
Solunov, Ch.: See Ponevski, Ch.
Southern, J. H. and Ballman, R. L.: Additional Observations on Stratified Bicomponent Flow of Polymer Melts in a Tube, 863
Speak, R. and Shepherd, I. W.: Conformation of Poly(dimethyl Diloxane) and Polystyrene in Solution Measured by Polarized Raman Scattering, 997
Srivastava, R. C. and Jain, A. K.: Electro-Osmosis of Water Through a Cellulose Acetate Membrane, 1603
Stein, R. S.: See Akana, Y.
——: See Hong, S. D.
——: See Peiffer, D.
——: See Petraccone, V.
Stejskal, J. and Kratochvil, P.: Determination of the Coefficients of Selective Sorption in the System Poly-Ternary Solvent by the Density and Refractive Index Increments Method, 715
Stevens, G. C. and Bloor, D.: The Solid-State Thermal Polymerization of *bis*(*p*-toluene sulfonate) of 2,4-hexadiyne 1,6-diol. III.

An ESR Study, 2411
Straková, D.: See Kratochvil, P.
Sullivan, J. L. and Smith, K. J., Jr.: On the Thermoelastic Behavior of Polymer Networks, 857
Sundqvist, B.: See Andersson, P.
Suwa, T., Seguchi, T., Takehisa, M and Machi, S: Effect of Molecular Weight on the Crystalline Structure of Polytetrafluoroethylene As-Polymerized, 2183
Syed, N.: See Batra, S. K.
Szöcs, F. and Plaček, J.: ESR Study of Pressure Dependence of Free-Radical Decay in Irradiated Polystyrene, 1789
Tabb, D. L. and Koenig, J. L.: A Normal Coordinate Analysis of trans-1,4-Polychloroprene, 1159
——, ——, and Coleman, M. M.: Infrared Spectroscopic Evidence of Structural Defects in the Crystalline Regions of trans-1, 4-Polychloroprene, 1145
——, Sevcik, J. J., and Koenig, J. L.: Fourier Transform Infrared Study of the Effects of Irradiation of Polyethylene, 815
Tadokoro, H.: See Takahashi, Y.
Takahashi, K.: See Reucroft, P. J.
Takahashi, Y., Tadokoro, H., Hirano, T., Sato, A., and Tsuruta, T.: Crystal Structure of Optically Active Poly(isopropylethylene Oxide), 285
Takayanagi, M.: See Nagamura, T.
——: See Shigematsu, K.
Takehisa, M.: See Suwa, T.
Tan, J. S. and Gasper, P.: Excluded Volume Study of a Sulfonate-Containing Polyelectrolyte in Salt Solutions, 1705
Tanaka, A. and Ishida, I.: Relationship Between Dielectric Side-Group Relaxation and Conformations of Poly(alkyl Acrylates) in the Glassy State, 431
—— and ——: Estimation of Molecular Structure in Amorphous Poly(4,4′-dioxydiphenyl-2,2′-propane Carbonate) by Means of Dielectric Measurement and Monte Carlo Calculations, 437
Tanaka, R.: See Mori, T.
——: See Tsutsui, T.
Tanka, T.: See Mori, T.
——: See Tsutsui, T.
Tatara, Y.-I.: See Flory, P. J.
Taylor, C. R.: See Greco, R.
Taylor, N. W. and Bagley, E. B.: Rheology of Dispersions of Swollen Gel Particles, 1133
Teer, D. and Dole, M. M.: Electrospray Mass Spectroscopy of Macromolecule Degradation in the Electrospray, 985
Theil, M. H.: The Effect of Prior Crystallinity on the Flow-Induced Crystallization of Poly(ethylene Oxide), 1097
Thomas, J. M.: See Schermann, W.
Torza, S.: Shear-Induced Crystallization of Polymers. I. The Four-Roller Apparatus, 43
Trekoval, J.: See Pouchlý, J.
Tsuruta, T.: See Takahashi, Y.
Tsutsui, T., Tanaka, R., and Tanaka, T.: Dynamic Mechanical Properties of Some Novel Ionene Polymers, 2091
Turner, A. P. L.: See Wu, W.
Tuzar, Z.: See Kratochvíl, P.
Uhlmann, D. R.: See Renninger, A. L.
Vaas, L. H.: See Hammers, W. E.
Valdecasas, R. G.: See Fatou, J. G.
Valeur, B., Jarry, J. P., Geny, F., and Monnerie, L.: Long-Time Orientation Relaxation for an Internal Bond of a Chain, 2251
——, ——, ——, and ——: Dynamics of Macromolecular Chains. I. Theory of Motions on a Tetrahedral Lattice, 667
——, Monnerie, L, and Jarry, J.-P.: Dynamics of Macromolecular Chains. II. Oriented Relaxation Generated by Three-Bond Motions and Notion of an Independent Kinetic Segment, 675
van den Esker, M. W. J.: See Laven, J.
——: See Vrij, A.
van Kreveld, M. E.: Excluded Volume of Linear Macromolecules in Gel Permeation Chromatography: The One-Dimensional Case, 2253
Vieth, W. R.: See Barrie, J. A.
Vinogradov, G. V., Malin, A. Ya., Volosevitch, V. V., Shatalov, V. P., and Yudijn, V. P.: Flow, High-Elastic (Recoverable) Deformation, and Rupture of Uncured High Molecular Weight Linear Polumers in Uniaxial Extension. 1721
Vojta, V.: See Acierno, D.
Volosevitch, V. V.: See Vinogradov, G. V.
Vorlíček, J.: See Kratochvíl, P.
Vrij., A. and van den Esker, M. W. J.: Incompatibility in Polymer Solutions: Light Scattering of Two Polymers in a Single Solvent, 727
——: See Laven, J.
Wada, T.: See Arai, H.
Wada, Y.: See Fujimori, S.
——: See Hattori, K.
——: See Shimizu, K.
Wagner, B. E.: See Helvert, J. N.
Wall, L. A.: See Roestamsjah.
Wang, F. W.: Viscoelasticity of Dilute Chain-Molecule Solutions: Evaluation of Hydrodynamic Interaction, 1215
Ward, I. M.: See Jakeways, R.
Ward, I.: See Smith, J.
Wecker, S. M.: Independent Slip Systems and the Deformation Behavior of Semi-

crystalline Polymers, 1651
Weeks, N. E., Mori, S., and Porter, R. S.: The Morphology of Ultradrawn Polyethylene. I. Nitric Acid Etching Plus Gel Permeation Chromatography, 2031
—— and Porter, R. S.: Morphology of Ultradrawn Polyethylene Strands. II. Nitric Acid Etching and Melting Behavior, 2049
Wegner, G.: See Schermann, W.
Wereta, A.: See Wiff, D. R.
West, A. C.: See Pasika, W. M.
Wicks, G. G.: See Renninger, A. L.
Wiff, D. R., Gehatia, M., and Wereta, A.: Molecular Weight Distribution and Mechanical Behavior of PBI Fibers, 275
Wilding, M. A.: See Jakeways, R.
Wilkes, G. L.: See Chang, Y-J. P.
Williams, J. O.: See Schermann, W.
Wintle, H. J.: See Chan, G. Y. C.
Wissbrun, K. F. and Hannon, M. J.: Interaction of Inorganic Salts with Polar Polymers. II. Infrared Studies of Polymer-Inorganic Nitrate Systems, 223
——: See Hannon, M. J.
Wittmann, J. C.: See Lotz, B.
Wolf, B. A. and Blaum, G.: Measured and Calculated Solubility of Polymers in Mixed Solvents: Monotony and Cosolvency, 1115
Wool, R. P.: Mechanisms of Frequency Shifting in the Infrared Spectrum of Stressed Polymer, 1795
Wong, C. P.: See Berry, G. C.
Wong, L. W.: See Hsu, B.-S.
Wu, C.: Pressure and Temperature Effects on the Vibrational Frequencies of Crystalline Polymethylenes. II. Lattice Anharmonicity and the Equation of State, 387
Wu, W. and Turner, A. P. L.: Thermal Activation Parameters for Large Strain Deformation of Polyethylene and Polycarbonate, 19
Wunderlich, B.: See Iwamoto, R.
——: See Lee, C. J.
Yano, O.: See Shimizu, K.
Yudijn, V. P.: See Vinogradov, G. V.
Živný, A.: See Pouchlý, J.

SUBJECT INDEX, VOLUME 13

Activation energy spectra of polymers, 1913
Adhesion: effect of interfacial bonding on, 1285
energy dissipation in peeling of adherends, 2129
Adsorption: of ammonia in polystyrene, 1665
of water vapor in polymer films, 493
selective, from ternary solvent, 715
Birefringence: amorphous chain orientation measured by, 1991
in nylon 6, 835
in polycarbonate, 2313
in polyethylene, 1447, 1991
in poly(ethylene terephthalate), 2079
in stressed polybutadiene, 2195
Brillouin light scattering by polystyrene, 295
Butyl methacrylate oligomers, heat of mixing of methanol with, 1511
Cellulose: chain length distribution in, 1
fibrous mercerization of, 1859
Cellulose acetate: electro-osmosis of water through membranes of, 1603
interaction with inorganic salts, 223
Chain extension by chemical reaction with polyethylene crystals, 607
Chain folding: in cellulose fibers, 1
in crystallization of poly(*N*-vinyl carbazole), 1167
in linear polyethylene, 1407
Chain scission: in irradiated polystyrene, 953
in mechanical fracture of polymers, 1233
Chains: in simple model networks, 2069
interaction of, in crystal association, 909
motions in, 667, 675, 2251, 2345
Characterization of macromolecules by thermal diffusion, 177, 203
Chitin, piezoelectricity in, 1845
Chromatography: see also gas chromatography and gel permeation chromatography
Collagen, light scattering from, 1613
Conductivity: of ions in solid solutions of polyacrylonitrile, 9
of polyglycine, 1333
Conformation: in poly(alkyl acrylates), 431
in polycarbonate, 437
in poly(9-vinyladenine), 477
measured by polarized Raman scattering, 997
Copolymers: polyester blocks, thermal transitions and crystallinity in, 1353
polyether–urethanes, morphology of, 455
polystyrene–poly(ethylene oxide) multiblocks, crystallization of, 653
poly(thiacyclobutane-*b*-isoprene-*b*-thiacyclobutane) triblocks, 1543
styrene–butadiene–styrene triblock, micelle formation by, 663
styrene–polyester networks, relaxations in, 1049
viscoelastic behavior of terpolymer networks containing unattached copolymer, 1675, 1687
Crazing: in polychlorotrifluoroethylene at low temperature, 1315
in polystyrene, 127, 2429
Crosslinked polymers: coordination bonding in, 1057
creep of crosslinked natural rubber, 1855
degree of crosslinking and failure rate in, 419
elastic equation of state and swelling of networks, 683, 857
fracture energies for polybutadienes, 1903
interfacial bonding of elastomers, 1285
liquid transport through swollen network membranes, 1201
mechanical properties of composite heterogeneous gels, 1591
poly(butadiene–styrene–vinylpyridine) with ferric chloride, 1881
poly(D-glutamic acid)-poly(oxyethylene glycol), viscoelasticity of, 1633
radiation-induced effects in polyethyene, 303, 323, 333, 339, 351, 361
relaxations in styrene-crosslinked polyester, 1049
rheology of dispersions of swollen gel particles, 1133
viscoelastic behavior of filled polymer, 703
Crystal associations, 909
Crystal structure: monomer and polymer, relations of, 753
of poly(isopropylethylene oxide), 285
of poly(tetramethylene terephthalate), 2173
Crystallinity: of polyester block copolymers, 1353
relation to elongation in polyethylene, 1945
Crystallites: in crosslinked polypropylene, 1085
in drawn extrudates of polyethylene, 73
in polyisoprenes, 1387
Crystallization: at high pressures, 1819
during polymerization, 607
epitaxial, of polymer on alkali halide, 787

flow-induced, in poly(ethylene oxide), 1097
from sheared solutions and melts, 43
nucleation and growth of polyethylene crystals, 1939
of isotactic polystyrene from dilute solution, 1809
of polybutadiene, stress-induced, 2195
of polychloroprene, 1145, 1159
of polyethylene, 1501
of polyisoprene under high pressure, 2117
of polymers from solution, 2103
of polystyrene–poly(ethylene oxide) multiblock copolymers, 653
of polytetrafluoroethylene, 2183
of poly(vinylidene fluoride), 1071
of poly(*p*-xylylene) during polymerization, 1925
overgrowth on preformed crystals of polyoxymethylene, 1461
substrate-induced morphology in, 2369, 2385, 2391
techniques for inducing fibrous crystallization, 1643
Crystals: fibrous, apparatus for production of, 43
in aromatic polyesters, deformation of, 799
Deformation: in aromatic polyester crystals, 799
in orientation of polyethylene, 533, 1659
in shear flows, 43
infrared shifts in polymers under stress, 1795
kink bands in drawn extrudates of polyethylene, 73, 2345
mechanism of tensile deformation of poly(hydroxyethoxy benzoic acid), 1515
of crystalline end-block copolymers, 1543
of extended chain polydiacetylene, 1871
of nylon 66, 369
of polyethylene and polycarbonate in shear, 19
of poly(ethylene terephthalate), 369
of polyisoprene, 1721
of poly(methacrylic acid) gels, 253, 263
of semicrystalline polymers, 1651
shear band growth in polystyrene, 509
Degradation: in electrosprayed polystyrene, 985
in polystyrene–styrene–cyclohexanone systems, 953
of polyethylene single crystals, 2259, 2275, 2281
of poly-α-methylstyrenes, 1783
radical formation in, 567
Dielectric properties: high electric field pulses in study of, 599
of dry and wet polyglycine, 1333
of silk fibroin, 1347
Dielectric relaxation: in chlorinated polyethylene vulcanizate, 1737, 1893
in poly(alkyl acrylates), 431
in poly(alkyl methacrylates), 1959
in poly(γ-benzyl-L-glutamate) solutions, 737
in polycarbonate, 437, 2313
in polydiethylsiloxane, 977
in polyesters and polyester block copolymers, 1365
in polyethylene isophthalamide, 445
in poly(ethylene terephthalate), 2079, 2247
in polymers with pendent phenyl or pyridine groups, 2357
in poly(methyl methacrylate), 1467
in poly(methyl methacrylate) solutions, 1377
in poly(4-methylpentene-1), 1959
in polystyrene–toluene solutions, 2155
method for determination of temperature dependence of, 1467
Differential scanning calorimetry: of nitric acid etched polyethylene, 2049
of polyester block copolymers, 1353
of polyether–urethanes, 455
of polyethylene, 1407
of poly(ethylene terephthalate), 1831
of polypropylene, 1417
of polystyrene in toluene, 2155
of polystyrene–poly(ethylene oxide) multiblock copolymers, 653
of polytetrafluoroethylene, 2183
of poly(vinyl chloride), 1533
of poly(vinylidine fluoride), 1071
of poly(*p*-xylylene), 1925
Differential thermal analysis: of poly(γ-benzyl-L-glutamate), 737
of poly(ethylene terephthalate), 1831
of polystyrene in toluene, 2155
Diffusion: of gas in glassy polymers, 859
of iodine in polyvinylpyrrolidone, 1023
of liquids through swollen network membranes, 1201
of poly(L-lysine HBr), 873
thermal diffusion effects in liquids and solutions, 163, 177
Dilatometry: of crystallization of polyethylene from solution, 2103
of flow-induced crystallization of poly(ethylene oxide), 1097
of glass transition of mixtures of salts with phenoxy polymer, 113
of melting of polyethylene, 637, 2049
of transition in poly(ethylene terephthalate), 1831
DNA, characterization of, by thermal diffusion in solution, 203
Dynamic mechanical properties: of heterogeneous network polymers, 1633
of ionene polymers, 2091

of plasticized poly(vinyl chloride), 137
of poly(ϵ-caprolactone) blends, 851
of polyethylene, 2331
of poly(2-hydroxyethyl methacrylate) gels, 2299
of polypentenamer networks, 2289
of silk fibroin, 1347
of styrene-crosslinked polyester networks, 1049
Electron microscopy: of compressed fibers of nylon 66 and poly(ethylene terephthalate), 369
of crystal associations, 909
of crystallization of polyethylene, 1939
of drawn polyethylene, 73
of fibrous crystals of polyethylene, 43
of fracture in polystyrene, 127
of high pressure crystallization of polyisoprene, 1819
of irradiated bulk polyethylene, 527
of poly(butadiene–styrene–vinylpyridine) crosslinked with ferric chloride, 1881
of polyether–urethanes, 455
of polyisoprenes, 1387, 2117
of polyoxymethylene, 1461
of polytetrafluoroethylene, 1613
of *Valonia macrophysa* cellulose, 1859
Electron paramagnetic resonance: see ESR
Electron spin resonance (ESR): of free radical decay in polystyrene, 1789
of mechanically degraded poly(2,6-dimethyl-*p*-phenylene oxide), 567
of mechanically fractured polymers, 1233
of polyenyl radicals in polymers, 825
of polymerization of a diacetylene, 2411
of stretched fiber of poly(hydroxyethyoxy benzoic acid), 1515
Electro-osmosis of water through cellulose acetate membrane, 1603
Electrospray mass spectroscopy of polystyrene, 985
Fracture: in polybutadiene, energy of, 1903
in polystyrene, mechanisms of, 127
Gas chromatography: of alkanes in squalene and polydimethylsiloxane, 401
of *n*-alkenes in Apiezon M, 401
Gel permeation chromatography (GPC): excluded volume of macromolecules in, 2253
high-resolution preparative-scale GPC, 1695
of degraded poly(ethylene terephthalate), 765
of degraded poly(α-methylstyrene), 1783
of irradiated *n*-hexatriacontane, 333
of irradiated polyethylene, 323
of nitric acid etched polyethylene, 2031
of ozone degraded polyethylene, 2259, 2275, 2281
of star-branched polymers, 1849
Glass transition: conductivity of ions in polyacrylonitrile, 9
in ϵ-caprolactones and polymer blends, 851
in chlorinated polyethylene vulcanizate, 1893
in fluoropolymers, 619
in poly(butadiene–styrene–vinylpyridine) crosslinked with ferric chloride, 1881
in polycarbonate, 2313
in polydiethylsiloxane, 971, 977
in polyester block copolymers, 1353
in polymer-salt systems, 113, 223
in polystyrene, diluent effects on, 2155
Glassy polymers: infrared studies of polymer-inorganic nitrate systems, 223
phenoxy polymer, mixtures of salt with, 113
x-ray scattering from polycarbonate, 1247
x-ray scattering from poly(methyl methacrylate), 1481
2,4-Hexadiyne-1,6-diol *bis*(*p*-toluene sulfonate), dislocations in crystals of, 753
n-Hexatriacontane, effect of irradiation GPC of, 333
Infrared dichroism, amorphous chain orientation of spherulites indicated by, 1991
Infrared spectra: of polychloroprenes, 1145
of polyethylene, 815, 1945, 2281
of polymer-salt complexes, 223
of polyphenyl-*p*-sulfide, 1795
of polypropylene, 1795
of poly(vinylidene fluoride), 929, 1071
of silk fibroin, 1347
Intrinsic viscosity: of poly(9-vinyladenine), 477
of sulfonate-containing polyelectrolyte, 1705
Ionene polymers, dynamic mechanical properties of, 2091
Kerr constant, theory of solvent effect on, 1011
Kinetic rate constants and polymerization mechanism from molecular weight distribution (theory), 1063
Kinetics of crystallization: in polyisoprenes, 1387
of polymer from solution, 2103
substrate effects on, 2391
Light scattering: Brillouin, in polystyrene, 295
from anisotropic rods, 1613
from collagen, 1613
from polytetrafluoroethylene, 1613
from stressed polybutadiene, 2195
Light scattering in solutions: depolarization of Raman scattering, 997
of mixtures of two polymers, 2321
of poly(L-lysine HBr), 873
of poly(9-vinyladenine), 477
of sulfonate-containing polyelectrolyte, 1705

ternary systems of polymer and two solvents, 1115
ternary systems of two polymers and one solvent, 727
Magnetic susceptibility of ions in glassy polyacrylonitrile, 9
Mechanical behavior: in peeling of rubbery materials, 2129
of styrene–butadiene rubber—glass bead composites, 579
Mechanical properties: correlation of molecular weight distribution in polybenzimidazole with, 275
of composite heterogeneous gels, 1591
of extended chain polydiacetylenes, 1871
of polyethylene, 1177, 1407
Melting behavior: of polyethylene, 637, 2049
of *cis*-polyisoprene, 138
of polypropylene, 1417
of polytetrafluoroethylene, 2183
of poly(vinyl chloride), 1533
Molecular motion: computer simulation of Brownian motion of polyelectrolyte, 2135
in polydiethylsiloxane, 1269
in polyester block copolymers, 1365
in poly(ethylene terephthalate), 151
in polymers with pendent phenyl or pyridine groups, 2357
in polystyrene, diluent effects on, 2155
Molecular structure: amorphous chain orientation in spherulites, 1991
in polystyrene, NMR study of, 889
molecular orbital calculations for poly(*N*-vinylcarbazole), 1863
random coil dimensions of polymethylphenylsiloxane, 2221
Mossbauer spectra crosslinked elastomers, 1057
Molecular weight distribution: and mechanical behavior of polybenzimidazole fibers, 275
and polymerization mechanisms (theory), 1063
in degraded poly (α-methylstyrene), 1783
in irradiated polyethylene, 323
in irradiated polystyrene, 953
in nitric acid etched polyethylene, 2031
in sectioned cellulose fibers, 1
of fractions in high-resolution preparative GPC, 1695
Morphology: induced by substrate in polymer crystallization, 2369
of degraded poly(ethylene terephthalate), 765
of polyacrylonitrile, 2241
of polycaprolactam, 2237
of polydiacetylenes under deformation, 1871
of polyether–urethanes, 455
of polyethylene, ozone degradation studies of, 2259, 2275, 2281
of polyisoprenes, 1387
of polytetrafluoroethylene, 2183
of poly(*N*-vinylcarbazole), 1167
of spherulitic growth in polyisoprene, 2117
of triblock copolymers with crystalline endblocks, 1543
Networks: deformational, swelling, and potentiometric behavior of poly(methacrylic acid) gels, 253, 263
diffusion of liquids through swollen network membranes, 1201
dynamic mechanical behavior of polypentenamer, 2289
dynamic mechanical properties of poly(hydroxyethyl methacrylate) gels, 2299
elastic behavior of simple models of, 2069
elastic equation of state in, 683, 857
elongation and swelling of polydimethylsiloxane, 683
heterogeneous, viscoelastic properties of, 1633, 1675, 1687
low temperature relaxations in, 1049
mechanical properties of composite heterogeneous gels, 1591
rheology of dispersions of swollen gel particles, 1133
rubber networks containing unattached macromolecules, 1675, 1687
stress-induced crystallization of polybutadiene, 2195
Neutron inelastic scattering in poly(ethylene terephthalate), 151
Nuclear magnetic resonance (NMR): absorption of ammonia in polystyrene, 1665
^{13}C spectra of hydrogenated polybutadienes, 1975
^{13}C spectrum of polystyrene, 889
of poly(γ-benzyl-L-glutamate), 737
of *cis*-1,4-polybutadiene, 1301
of polystyrene in toluene, 2155
spin relaxation in polydiethylsiloxane, 1269
temperature sensitivity of ^{13}C spectra, 901
Nucleation: in crystallization of polymers from solution, 2103
in spherulitic growth in polyisoprene, 2117
of crazes at low temperature, 1315
production of oligomer crystal nuclei, 607
role of substrate in nucleation of polymer crystallization, 2369, 2385, 2391
Nylon 6, dispersion of refractive index in, 835
Nylon 66, elastic behavior of, 369
Optical anisotropy: of polyethylene crystals, 1447
solvent effect on Kerr constant (theory), 1011
Optical microscopy: of crazing in polystyrene, 2429

of crystallization of polymers, 2369, 2385, 2391
of diffusion of iodine in polyvinylpyrrolidone, 1023
of fracture in polystyrene, 127
of monomer–polymer crystals, 753
of polyether–urethanes, 455
of reconstituted collagen, 1613
Osmotic pressure: of poly(9-vinyladenine), 477
Partial specific volume of poly(9-vinyladenine), 477
Permeation: of liquids through swollen network membranes, 1201
of water vapor in polymer films, 493
Phase transition in dilute poly(γ-benzyl-L-glutamate), 1491
Phenoxy polymer, physical properties of mixtures with salt, 113
Photoconductivity: of polyolefins and poly(ethylene–carbon monoxide), 1187
of poly(*N*-vinylcarbazole), 1275, 1863
Piezoelectric effects: in α-chitin, 1845
in poly(vinyldiene fluoride), 929, 1033
Plasticizing effect on dynamic mechanical properties of poly(vinyl chloride), 137
Polyacrylate gel, rheology of dispersions of particles of, 1133
Polyacrylonitrile: conductivity of ions in glass transition region of, 9
morphology of, 2241
Poly(alkyl acrylates), dielectric relaxation and conformation of, 431
Polybenzimidazole, molecular weight distribution and mechanical behavior of fibers of, 275
Poly(γ-benzyl-L-glutamate), dielectric study of, 599, 737, 1491
Poly(*p*-biphenyl acrylate), x-ray diffraction in, 87
Polybutadiene: effect of pressure on NMR of, 1301
ESR study of mechanical fracture in, 1233
hydrogenated, ^{13}C NMR of, 1975
interfacial bonding of, 1285
stress-induced crystallization of, 2195
Poly(butadiene–styrene–vinylpyridine), crosslinked by ferric chloride, 1881
Poly(butene-1), effect of substrate on crystallization of, 2369, 2385, 2391
Poly(butyl methacrylate), dielectric studies in, 1959
Polycaprolactam, morphology of, 2237
Poly(ε-caprolactone): effect of substrate on crystallization of, 2369, 2385
glass transition of blends of, 851
Polycarbonate: dielectric relaxation and conformation of, 437
structure and glass transition in, 2313
thermal activation of strain deformation of, 19
x-ray scattering in, 47
trans-1,4-Polychloroprene, infrared study of, 1145, 1159
Polychlorotrifluoroethylene, low temperature crazing of, 1315
Poly(chloro-*p*-xylylene), permeation of water vapor in, 493
Polydiacetylenes: ESR study of formation of, 2411
mechanical properties of, 1871
Polydiethylsiloxane: dielectric study of, 977
nuclear spin relaxation in, 1269
transitions in, 971
Poly(2,6-dimethyl-*p*-phenylene oxide), ESR study of degradation of, 567
Polydimethylsiloxane: depolarization of Raman scattering in solutions of, 997
elongation and swelling of networks of, 683
gas chromatography of alkanes in, 401
Polyelectrolytes: computer simulation of Brownian motion of, 2135
deformational, swelling, and potentiometric behavior of poly(methacrylic acid) gels, 253
dynamic mechanical properties of poly(hydroxyethyl methacrylate) gels, 2299
dynamic mechanical properties of poly(oxyethylene ionenes), 2091
excluded volume study of sulfonate-containing polyelectrolyte, 1705
relaxation of concentration fluctuations in, 873
Polyether-urethanes, morphology of, 455
Polyethylene: birefringence of, 1447
chemical reaction producing chain extension in, 607
crystallinity and elongation of, 1945
crystallization of, 1501, 2103
dynamic mechanical properties of, 2331
effect of pressure on melting of, 637
energetics of kinks in, 2345
ESR study of mechanical fracture of, 1233
morphology of drawn extrudates of, 73, 2031, 2049
nucleation and growth of crystals of, 1939
orientation and deformation of, 533, 1659
orientation of amorphous chains in, 1991
ozone degradation studies of, 2259, 2275, 2281
photoconduction in, 1187
radiation-induced effects in, 303, 323, 333, 339, 351, 361, 527, 815
shear-induced crystallization of, 43
techniques for fibrous crystallization of, 1643
thermal activation of strain deformation of, 19

thermoelectrets in, 2401
ultradrawing and tensile properties of, 1177
Polyethylene, chlorinated, pressure dependence of dielectric properties of vulcanizate of, 1737, 1747, 1893
Polyethylene isophthalamide, dielectric relaxation in, 445
Poly(ethylene oxide): flow-induced crystallization of, 1097
effect of substrate on crystallization of, 2369, 2385, 2391
Poly(ethylene terephthalate): characterization after degradation, 765
dielectric relaxation of, 2079, 2247
elastic behavior of, 369
low-frequency motions in, 151
permeation of water vapor in, 493
thermal analyses of, 1831
Poly(D-glutamic acid) crosslinked with poly(oxyethylene glycol), dynamic mechanical properties of, 1633
Polyglycine, dielectric properties of dry and wet, 1333
Polyhexylisocyanate, high-field dielectric study of, 599
Poly[*p*-(2-hydroxyethoxy) benzoic acid], mechanism of tensile deformation of, 1515
Poly(2-hydroxyethyl methacrylate): dynamic mechanical properties of gels of, 2299
mechanical properties of filled, 1591
viscoelastic behavior of filled, 703
Polyisoprene: flow, deformation and rupture of, 1721
high pressure crystallization of, 1819
melting behavior of, 1387
spherulitic growth morphology in, 2117
Poly(isopropylethylene oxide), crystal structure of, 285
Poly(L-lysine HBr), light scattering in aqueous solutions of, 873
Poly(methacrylic acid), deformational, swelling, and potentiometric behavior of gels of, 253, 263
Poly(methyl acrylate), interaction of, with inorganic salts, 223
Polymethylenes, Raman spectra of, 387
Poly(methyl methacrylate): dielectric relaxation in solutions of, 1377
ESR study of mechanical fracture in, 1233
interaction with inorganic salts, 223
irradiated, ESR study of, 825
light scattering in multicomponent systems, 2321
pressure dependence of thermal conductivity, thermal diffusivity, and specific heat of, 243
selective adsorption in ternary solvent by, 715
solubility in binary solvent systems, 1115
temperature dependence of dielectric relaxation of, 1467
x-ray scattering from, 1481
Poly(4-methylpentene-1), dielectric study of, 1959
Poly(methylphenylsiloxane), random coil dimensions of, 2221
Poly(α-methylstyrene), star-branched, GPC of, 1849
Poly[*N,N'*-(*p,p'*-oxydiphenylene)pyromellitimide], permeation of water vapor in, 493
Poly(oxyethylene ionene), dynamic mechanical properties of, 2091
Polyoxymethylene: crystal morphology of, 1461
epitaxial crystallization of, 787
Poly(phenyl-*p*-sulfide), infrared spectra under stress in, 1795
Polypropylene: effect of substrate on crystallization of, 2369, 2385, 2391
ESR study of mechanical fracture in, 1233
infrared spectra under stress in, 1795
melting behavior of, 1471
orientation of crystallites in, 1085
photoconduction in, 1187
pressure dependence of thermal conductivity, thermal diffusivity, and specific heat of, 243
rheology of melts of, 95
Poly(isopropyl methacrylate), dielectric study of, 1959
Polystyrene: absorption of ammonia in, 1665
activation energy spectra of, 1913
Brillouin light scattering in, 295
^{13}C NMR spectra of, 889
crazing and fracture in, 127, 2429
depolarization of Raman scattering in solutions of, 997
dielectric relaxation in, 2357
diluent effects on molecular motion and glass transition in, 2155
electrospray mass spectroscopy of, 985
free radical decay in, 1789
growth of shear bands in, 509
light scattering in multicomponent systems of, 2321
non-Newtonian flow behavior in solutions of, 35
pressure dependence of thermal conductivity, thermal diffusivity, and specific heat of, 243
relaxation spectra of concentrated solutions of, 775
rheology of melts of, 95
ultrasonic irradiation of, 953
viscosity of solutions of, 1215, 1563, 1577
Polystyrene–poly(propylene oxide) block copolymers, crystallization of, 653

Polytetrafluoroethylene: ESR study of mechanical fracture in, 1233
light scattering from, 1613
melting and crystallization of, 2183
Poly(tetramethylene terephthalate): crystal deformation in, 799
crystal structure of, 2173
Poly(thiacyclobutane–isoprene–thiacyclobutane) triblock copolymer, morphology of, 1543
Polythiomethylene, epitaxial crystallization of, 787
Polytrifluoroethylene, heat capacity of, 619
Poly(trimethylene terephthalate), crystal deformation in, 799
Poly(vinyl acetate), interaction of, with inorganic salts, 223
Poly(9-vinyladenine), conformation of, 477
Poly(vinyl alcohol), interaction of, with inorganic salts, 223
Poly(*N*-vinylcarbazole): electronic structure of, 1863
folded chain crystallization of, 1167
photoconductivity of, 1275
Poly(vinyl chloride): dynamic mechanical properties of, 137
irradiated, ESR study of, 825
melting of, 1533
x-ray diffraction study of, 961
Poly(vinyl fluoride): heat capacity of, 619, 1263
irradiated, ESR study of, 825
Poly(vinylidene fluoride): crystallization of, 1071
heat capacity of, 619
irradiated, ESR study of, 825
thermoelectrets in, 929, 1033
Poly(vinylpyridine), dielectric relaxation in, 2357
Poly(vinyl pyrrolidone): characterization by thermal diffusion in solutions of, 177, 203
diffusion of iodine in, 1023
Poly(*p*-xylylene), crystallization during polymerization of, 1925
Radiation-induced effects: in polyethylene, 303, 323, 333, 339, 351, 361
in polystyrene, 953
Radicals: in degradiation of poly(2,6-dimethyl-*p*-phenylene oxide), 567
in mechanical fracture of polyolefins, 1233
in polystyrene, ESR study of decay of, 1789
in tensile deformation of poly(hydroxyethoxy benzoic acid), 1515
polyenyl, in irradiated polymers, 825
Raman scattering from polymer solutions, 997
Raman spectra of crystalline polymethylenes, 387
Refractive index: calculation of dispersion of increments of, 443
dispersion of, in nylon 6, 835
Relaxation: of concentrated polystyrene solutions, 775, 1563, 1577
of concentration fluctuations in polyelectrolyte solutions, 873
of paraffin and polyethylene, 1407
in styrene-crosslinked polyester networks, 1049
Rheometer, cone-and-plate, design and performance tests of, 1761
Rubber, natural: crosslinked, creep behavior of, 1855
liquid transport through swollen crosslinked membranes of, 1201
melting behavior of, 1387
Rubbery polymers: crosslinking by coordination bonding in, 1057
crosslinking and time dependent rupture in styrene–butadiene, 419
^{13}C NMR spectra of polybutadiene, 901
effect of pressure on NMR of polybutadiene, 1301
energy dissipation in rupture of adhesive bonding, 2129
fracture energies for polybutadienes, 1903
infrared spectra of crystalline regions of polychloroprene, 1145, 1159
interfacial bonding of elastomers, 1285
mechanical behavior of glass bead filled styrene–butadiene, 579
melting behavior of polyisoprenes, 1387
optical studies of stressed polybutadiene, 2195
relations among compliance functions of linear viscoelasticity, 947
Second virial coefficient, 477, 1115, 1705, 2321
Shear bands in polystyrene, 590
Shear-induced crystallization, apparatus for, 43
Silk fibroin, dynamic mechanical and dielectric properties of, 1347
Solubility of polymers in mixed solvents, 1115
Soret effect in liquids and macromolecular solutions, 163, 177, 203
Specific heat of polymers under pressure, 243
Spherulites: kinetics of growth of, 1819
morphology of growth in polyisoprene, 2117
orientation of amorphous chains in, 1991
Statistical mechanics: analysis of ^{13}C NMR of hydrogenated polybutadienes, 1975
computer simulation of Brownian motion of polyelectrolyte, 2135
dynamics of macromolecular chains, 667, 675
elastic behavior of simple model networks, 2069
excluded volume of macromolecules in GPC, 2253
Gaussian chain with excluded volume, 1655

orientation of amorphous chains in spherulites, 1991
random coil dimensions in poly(methylphenylsiloxane), 2221
stress-strain relations in networks, 59
Strain birefringence: of nylon 6, 835
of polybutadiene, 2195
Stress-induced infrared spectral shifts, 1795
Stress relaxation in networks containing unattached macromolecules, 1675, 1687, 1695
Stress-strain relations: in aromatic polyesters,.799
in composite heterogeneous gels, 1591
in glass-bead filled styrene–butadiene rubber, 579
in networks, theoretical analysis of, 59
in nylon 6, 835
in nylon 66, 369
in plastic deformation of polyethylene and polycarbonate, 19
in polybenzimidazole, 275
in polychlorotrifluoroethylene at low temperature, 1315
in polyether–urethanes, 455
in poly(ethylene terephthalate), 369
in poly(hydroxyethoxy benzoic acid), 1515
in poly(methacrylic acid) gels, 253, 263
in swollen networks, 683
in ultradrawn polyethylene, 1177
Styrene–butadiene rubber: crosslinking and time dependence of rupture in, 419
mechanical behavior of glass-bead filled, 579
Styrene–butadiene–styrene triblock copolymer, micelle formation in butanone solutions of, 663
Styrene–polyester networks, low temperature relaxations in, 1049
Swelling: fracture energies of swollen polybutadienes, 1903
of poly(methacrylic acid) gels, 253, 263
Thermal conductivity of polymers under pressure, 243
Thermal diffusion in liquids and solutions, 163, 177, 203
Thermal diffusivity of polymers under pressure, 243
Thermodynamic parameters: calculation of heat capacity of polymers, 1263
heat capacity of fluoropolymers, 619, 1263
heat capacity of polydiethylsiloxane, 971
heat capacity and P-V-T relation of chlorinated polyethylene vulcanizate, 1747
heats of mixing of butyl methacrylate oligomers with methanol, 1511
in crystallization of polymer from solution, 2103
in gas chromatography of hydrocarbons in polymers, 401
in strain deformation of polyethylene and polycarbonate, 19
interaction parameters for polydimethylsiloxane–benzene, 683
in ternary systems (polymer in mixed solvent), 1115
on melting of polyester block copolymers, 1353
of melting of polystyrene–poly(ethylene oxide) block copolymers, 653
of melting of poly(vinyl chloride), 1533
of mixtures of polymers in dilute solution, 2321
Thermoelectrets: in polyethylene, 2401
in poly(vinylidene fluoride), 929, 1033
Thermomechanical analysis of poly(ethylene terephthalate), 1831
Theta temperature of poly(9-vinyladenine) solutions, 477
Ultrasonic velocity in solutions of polyvinylpyrrolidone, 177
Ultraviolet spectra of poly(9-vinyladenine), 477
Viscoelastic properties: creep behavior of crosslinked natural rubber, 1855
energy dissipation in peeling of adherends, 2129
in stratified bicomponent flow, 863
of concentrated polystyrene solutions, 775, 1563, 1577
of dilute chain-molecule solutions, 1215
of dispersions of swollen gel particles, 1133
of glass-bead filled crosslinked polymer, 703
of heterogeneous networks, 1633, 1675, 1687
of highly drawn polyethylene, 2331
of polyisoprene, 1721
of polypentenamer, 2289
relations among compliance functions, 947
rotational rheometer, design and performance tests, 1761
stress-strain relations in networks (theory), 59
Viscosity: effect of structure formation and additives on polymer melts, 95
effect of, in stratified bicomponent flow, 863
of melts of mixtures of salt with phenoxy polymer, 113
Viscosity of solutions: non-Newtonian behavior of polystyrene, 35
of poly(γ-benzyl-L-glutamate), 1491
of poly(9-vinyladenine), 477
X-ray diffraction: of atactic poly(*p*-biphenyl acrylate), 87
of collagen, 1613
of crystalline end-block copolymers, 1543
of polybenzimidazole fibers, 275
of polycarbonate, 1247
of polyester crystals under deformation, 799
of polyether-urethanes, 455
of polyethylene, 73, 533, 1407, 1945

of poly(isopropylethylene oxide), 285
of poly(methyl methacrylate), 1481
of polypropylene, 1085
of polystyrene–poly(ethylene oxide) multiblock copolymers, 653
of polytetrafluoroethylene, 1613
of poly(tetramethylene terephthalate), 2173
of poly(*N*-vinylcarbazole), 1167
of poly(vinyl chloride), 961
of poly(*p*-xylylene), 1925